

SELECTIVE-PYROLITIC GLASS



GLASS UNLIMITED

SUNERGY



COATING EVOLUTION

Excellence in Aesthetics

Sunergy is a pyrolytic coated glass that combines solar control with thermal insulation. It is an excellent response to current architectural trends, thanks to its neutrality and low reflection.

Sunergy offers the following properties:

- superb solar control
- brilliant aesthetics
- low emissivity properties (low U-value)
- easy processing (hard coating)



Sunergy Clear – “Bolle” Nardini distilleries research & event centre – Bassano del Grappa, Italy – Architect: Massimiliano Fuksas – Studio Fuksas

Cover picture: Sunergy Azur – Exatel Perkuna – Warsaw, Poland – Architect: Archico project

Creativity without Limits

Sunergy can overcome the most difficult architectural challenges. Its processing qualities make it a favourite choice for complex constructions. No surprise that Sunergy is used in award-winning contemporary architecture.

Sunergy has a very neutral shade and low light reflection. These unique aesthetics are perfectly in line with the modern trend in architecture.

BLACKPEARL is the perfect solution for spandrel glazing units with a Sunergy product as the outer sheet. Both vision and spandrel sections of the façade will match perfectly.

*Sunergy Azur – Ulm Library – Ulm, Germany –
Architect: Gottfried Böhm
ArchiEurope Bau Munich 2005 Award*



International Prestige

Sunergy has quickly become a worldwide reference with major projects in Russia, India, Brazil, Australia, South Africa, China and elsewhere. The durable coating means it is easy to transport around the world and its thermal properties suit all types of climates whether in single or double glazing.



*Sunergy Green – Barra Trade III – Rio de Janeiro, Brazil –
Architect: Ecotech*

Most Beautiful Building of Rio de Janeiro Award 2005



Sunergy Clear – Administrative Palace of Moscow Region – Moscow, Russia

From market niches to prestigious projects

Sunergy can be used in a wide range of applications. Its versatility is a key strength.

Offices

Its brilliant aesthetics and technical properties make it a perfect candidate for offices and building façades.

Residential

In most tropical climates, Sunergy is very suitable for use in residential applications in single or double glazing.

Shop Windows

The neutral appearance of Sunergy means that it is suitable for shop windows. Sunergy can lead to important cost savings in air conditioning and heating bills thanks to its solar control and thermal insulation properties.

Car Showrooms

Sunergy can be used in single glazings and in very large dimensions. The prestigious cars are displayed at their best thanks to Sunergy aesthetics and low reflection.

Airports

Sunergy is prized in airports for its neutrality, performance and low reflection. It is used in single or double glazing in many airports:

- Ankara (Turkey): Sunergy Green
- Rio de Janeiro (Brazil): Sunergy Green
- Riga (Latvia): Sunergy Azur
- Bangkok (Thailand): Sunergy Clear

Double-skin Façades

Sunergy can be used in double-skin façades as the outer sheet. This way overheating can be avoided in the buffer zone.

Conservatories

Sunergy is also very popular for conservatories for its neutrality and good balance of solar control (summer) and thermal insulation (winter).

Tramway Windows

Sunergy can easily be curved and laminated in very specific applications requiring security and thermal performances.




Sunergy Green ▲
Galeria Inno shopping center – Brussels, Belgium

▼ Tramway passengers enjoy visual comfort in this tram in Melbourne, Australia.



Sunergy Clear in double-skin façade monolithic 8 mm. ▶
Kronprinzenkarre – Berlin, Germany



▼ Sunergy Clear
Diamond villa residential estate
Shanghai, China



Sunergy Clear ▼
Mercedes-Benz car showroom – Melbourne, Australia





Variety of Possibilities

SUNERGY offers the advantages of a pyrolytic coating:

- no edge deletion
- leaves no scratches on the glass
- problem-free stacking and storage
- multiple processing possibilities
(tempering, curving, laminating, silkscreen printing, ...)
- can be used as single or double Glazing
- can be combined in a “Smart Combination”

Thanks to SUNERGY’s pyrolytic coating glass processors have no problems meeting the most advanced architectural requirements. This is thanks to the extremely hard coating that can easily satisfy a variety of applications.

Assembly

The complete range of SUNERGY glasses can be assembled into double glazing. When SUNERGY is made into a double glazed unit the solar control and heat-insulating properties are improved.

Laminated

The complete range of SUNERGY glasses can be laminated. If used as single laminated glass we recommend the coating is glazed in position 4 in view of the technical properties. Laminated glass comprises of two or more sheets of glass, bonded together by one or more layers of PVB, or Stratophone acoustic interlayers.

AGC Flat Glass Europe supplies laminated SUNERGY for safety (Stratobel) or noise reduction (Stratophone) applications with AGC Flat Glass Europe warranty.

Tempered or Heat-strengthened

The complete range of SUNERGY glasses can be tempered or heat strengthened.

Curving

The complete range of SUNERGY glasses can be curved.

Enamelling and Silkscreen Printing

The complete range of SUNERGY glasses can be enamelled and silkscreen printed on the non-coated side (some conditions do apply).


	Sunergy Clear	Sunergy Green	Sunergy Azur	Sunergy Dark Blue
Laminated*	•	•	•	•
Double glazing	•	•	•	•
Toughened	•	•	•	•
Curved	•	•	•	•
Screen-printed**	•	•	•	•

* after toughening

** some conditions do apply

Smart Combinations

A Smart Combination is an optimal assembly combining a solar control coated glass (Sunergy) with a low-emissivity glass (Planibel Top N+/NT or G / Gfast). This Smart Combination allows you to improve the solar factor and the U-Value of the double glazing unit (see performances table on page 11).





■ AVAILABILITY

Availability of SUNERGY in single glazing:

Product	Nominal thickness* (mm)	Max. dimensions for manufacturing (mm)
Sunergy Clear	3 - 4 - 6 - 8 - 10	6000 x 3210
Sunergy Green	6 - 8 - 10	6000 x 3210
Sunergy Azur	4 - 6 - 8 - 10	6000 x 3210
Sunergy Dark Blue	6 - 8	6000 x 3210

* For other thicknesses and dimensions please contact AGC Flat Glass Europe.

Sunergy is also available in laminated version Stratobel:

- up to 1010.x
- mixed with clear or tinted float
- standard PVB or acoustic Stratophone.

*Sunergy Azur – Naberezhnaya Tower – Moscow, Russia –
Architect: RTKL UK, ENKA, Natal*



Type of glass	Position of the Sunergy® coating	Thickness (mm)	Colour index RD65	Light properties		UV (%)	Energy properties						Ug-Value W/(m².K) 90% Argon	American standards*				
				LT%	Reflection (%)		DET (%)	ER (%)	EA (%)	SF (%)	Shading coefficient			U summer W/(m².K)	U winter W/(m².K)	RHG W/m²		
					Ext						Int	Tot.					Short wave Long wave	
Sunergy	Clear	3	98	69	9	10	43	56	10	34	63	0,72	0,65	0,07	4,2	4,33	4,67	493
		4	98	69	9	10	41	56	10	34	62	0,71	0,64	0,07	4,2	4,31	4,64	481
		6	97	68	9	10	38	54	9	37	60	0,69	0,62	0,07	4,1	4,31	4,59	468
		8	97	67	9	10	36	52	9	39	59	0,68	0,60	0,08	4,1	4,29	4,54	462
		10	96	66	8	10	33	50	9	41	58	0,67	0,58	0,09	4,1	4,27	4,49	455
	Green	2	88	56	7	10	12	31	6	63	42	0,48	0,36	0,12	4,1	4,55	4,59	338
		2	85	52	7	9	8	26	6	68	38	0,44	0,30	0,14	4,1	4,55	4,54	313
		2	82	48	7	9	6	22	5	73	36	0,41	0,25	0,16	4,1	4,55	4,49	294
	Azur	2	91	60	8	10	25	40	7	53	50	0,57	0,46	0,11	4,2	4,51	4,64	406
		2	88	56	7	10	20	34	6	60	45	0,52	0,39	0,13	4,1	4,53	4,59	363
Sunergy		2	84	52	7	9	16	29	6	65	41	0,47	0,33	0,14	4,1	4,53	4,54	331
		2	80	48	7	9	13	26	6	68	38	0,44	0,30	0,14	4,1	4,51	4,49	312
	Dark Blue	2	78	40	6	9	16	26	6	68	38	0,44	0,29	0,15	4,1	4,59	4,59	327
		2	72	35	6	9	12	21	5	74	35	0,39	0,23	0,16	4,1	4,54	4,60	300

Double Glazing

Sunergy	Clear	2	6-16-4	96	61	12	16	31	46	12	42	0,60	0,53	0,07	1,8	2,04	1,89	400
Sunergy	Green	2	6-16-4	87	51	10	16	10	27	7	66	0,38	0,31	0,07	1,8	2,18	1,89	268
Sunergy	Azur	2	6-16-4	87	50	10	16	17	30	8	62	0,41	0,34	0,07	1,8	2,16	1,89	285
Sunergy	Dark Blue	2	6-16-4	77	37	8	16	13	23	6	71	0,33	0,26	0,07	1,8	2,21	1,9	239

Double glazing filled with 90% Argon with Planibel TOP N+ coating in position 3

Sunergy	Clear	2	6-16-4	96	59	11	15	14	37	15	48	0,51	0,43	0,08	1,1	1,37	1,27	324
Sunergy	Green	2	6-16-4	87	49	9	15	5	24	7	69	0,33	0,28	0,05	1,1	1,37	1,43	212
Sunergy	Azur	2	6-16-4	86	49	9	15	9	26	8	66	0,37	0,30	0,07	1,1	1,37	1,41	227
Sunergy	Dark Blue	2	6-16-4	77	35	7	15	7	19	7	74	0,29	0,22	0,07	1,1	1,37	1,46	187

AUSTRIA Zimmermann Bauglas
Tel: +43 262 271 960 - Fax: +43 262 271 964
wzi@glasagentur-zimmermann.at

BELGIUM AGC Flat Glass Europe
Tel: +32 (0)2 674 31 11 - Fax: +32 (0)2 672 44 62
sales.belux@eu.agc-flatglass.com

BULGARIA AGC Flat Glass Bulgaria
Tel: +359 2 9555 387 - Fax: +359 2 8500 256
sales.bulgaria@eu.agc-flatglass.com

CROATIA AGC Flat Glass Adriatic
Tel: +385 1 6117 942 - Fax: +385 1 6117 943
sales.adriatic@eu.agc-flatglass.com

CZECH REPUBLIC AGC Flat Glass Czech
Tel: +420 417 50 11 11 - Fax: +420 417 502 121
sales.czech@eu.agc-flatglass.com

DENMARK AGC Flat Glass Danmark
Tel: +45 33 91 12 23 - Fax: +45 33 91 20 04
sales.danmark@eu.agc-flatglass.com

ESTONIA AGC Flat Glass Baltic
Tel: +371 6 7139 359 - Fax: +371 6 7139 549
sales.estonia@eu.agc-flatglass.com

FINLAND AGC Flat Glass Suomi
Tel: +358 9 43 66 310 - Fax: +358 9 43 66 3111
sales.suomi@eu.agc-flatglass.com

FRANCE AGC Flat Glass France
Tel: +33 (0)1 57 58 31 54 - Fax: +33 (0)1 57 58 31 63
sales.france@eu.agc-flatglass.com

GERMANY Bluhm & Plate
Tel: +49 (0)40 670 88 40 - Fax: +49 (0)40 670 88 410
i n f o @ b l u h m . d e

GERMANY Clemens Schlatt
Tel: +49 (0)2871 9 94 00 - Fax: +49 (0)2871 18 36 81
sales.schlatt@eu.agc-flatglass.com

GREECE AGC Flat Glass Hellas
Tel: +30 210 666 6011 - Fax: +30 210 666 9732
sales.hellas@eu.agc-flatglass.com

HUNGARY AGC Flat Glass Hungary
Tel: +36 1 219 51 87 - Fax: +36 1 215 54 42
sales.hungary@eu.agc-flatglass.com

ITALY AGC Flat Glass Italia
Tel: +390 2626 90 110 - Fax: +390 2657 01 01
sales.italia@eu.agc-flatglass.com

LATVIA AGC Flat Glass Baltic
Tel: +371 6 713 93 59 - Fax: +371 6 713 95 49
sales.latvia@eu.agc-flatglass.com

LITHUANIA AGC Flat Glass Baltic
Tel: +371 6 7139 360 - Fax: +371 6 7139 550
sales.lithuania@eu.agc-flatglass.com

NETHERLANDS AGC Flat Glass Nederland
Tel: +31 (0)344 67 9922 - Fax: +31 (0)344 67 97 24
sales.nederland@eu.agc-flatglass.com

POLAND AGC Flat Glass Polska
Tel: +48 22 872 0223 - Fax: +48 22 872 9760
sales.polska@eu.agc-flatglass.com

ROMANIA AGC Flat Glass Romania
Tel: +40 264 40 60 17 - Fax: +40 264 440 558
sales.romania@eu.agc-flatglass.com

RUSSIA AGC Flat Glass Russia
Tel: +7 (095) 411 65 65 - Fax: +7 (095) 411 65 64
sales.russia@eu.agc-flatglass.com

SERBIA-MONTENEGRO AGC Flat Glass Jug
Tel: +381 11 30 96 232 - Fax: +381 11 30 96 232
sales.jug@eu.agc-flatglass.com

SPAIN & PORTUGAL AGC Flat Glass Ibérica
Tel: +34 934 670 760 - Fax: +34 934 670 770
sales.iberica@eu.agc-flatglass.com

SWEDEN & NORWAY AGC Flat Glass Svenska
Tel: +46 8 768 40 80 - Fax: +46 8 768 40 81
sales.svenska@eu.agc-flatglass.com

SWITZERLAND AGC Flat Glass Europe
Tel: +41 32 753 71 33 - Fax: +41 32 753 61 78
sales.switzerland@eu.agc-flatglass.com

UKRAINE AGC Flat Glass Ukraine
Tel: +38 0442 362 068 - Fax: +38 0445 012 144
sales.ukraine@eu.agc-flatglass.com

UNITED KINGDOM AGC Flat Glass UK
Tel: +44 1788 53 53 53 - Fax: +44 1788 56 08 53
sales.uk@eu.agc-flatglass.com

OTHER COUNTRIES AGC Flat Glass Europe
Tel: +32 (0)2 674 31 11 - Fax: +32 (0)2 672 44 62
sales.headquarters@eu.agc-flatglass.com

06/2007 - EN - ref: 1103172 - BBC - 7522



GLASS UNLIMITED

www.yourglass.com

AGC Flat Glass Europe has representatives worldwide - See www.YourGlass.com for further addresses.